

# Smoke extraction opener FTA ECO-Vent II

Product	Article number
FTA ECO-Vent II DIN-L	5030060138
FTA ECO-Vent II DIN-R	5030060200
FTA ECO-Vent II ERM – ECO DIN left active leaf	5030058810
FTA ECO-Vent II ERM – ECO DIN left passive leaf	5030058811
FTA ECO-Vent II ERM – ECO DIN right active leaf	5030058812
FTA ECO-Vent II ERM – ECO DIN right passive leaf	5030058813

- Supply air opening for natural smoke and heat extraction systems with standard door elements
- Standard-compliant and space-saving solution
- With an opening angle of 90 degrees
- Cost-effective compared to automatic doors
- The roller of the retractable arm drive runs along the slide rail of the door closer
- Time- and money-saving installation through unique concealed assembly of the door closer and retractable arm drive
- Both components are fitted on the same level
- Use of standard components
- Simplifies storage and lowers operating and maintenance costs
- Networking options
- Compatible with all Aumüller products as well as all those from other common smoke and heat extraction system providers



Door closer TS-62

Cover hood

Mounting bracket

FTA 600 R

Non-visible screw connection

**ECO Schulte GmbH & Co. KG**

Iserlohner Landstraße 89

D-58706 Menden

Telephone +49 2373 9276 - 0

Telefax +49 2373 9276 - 40

[info@eco-schulte.de](mailto:info@eco-schulte.de)

[www.eco-schulte.de](http://www.eco-schulte.de)

Our compendium represents a compilation of all products from our range of services. These are subject to different delivery classes. Special variants included are often manufactured to customer specifications and sometimes require longer delivery times and minimum purchase quantities. Further advise can be given by your contact person.

## ■ SYSTEM TECHNOLOGY FOR THE DOOR

